



- 01) Create New Incident
 - If not already participating or nearby
 - Tap 01 + Incident
- 02 Select Test vs Real
- 03 Set Location
 - Defaults to current, Tap Map to adjust
- 04) Set Radius
 - Organizations can Join and Add Patients
- Name IncidentSet Default Patient Channels
 - 06) Triage Card / Require Condition
 - 07) Patient Type
- 08) Configurable ID
 - US | Statewide Wristband or State Specific
 - All joining organizations "inherit" for interoperability
- 09 Save









- 01) Create New Incident
 - If not already participating or nearby
 - Tap 01 + Incident





- 01) Create New Incident
 - If not already participating or nearby
 - Tap 01 + Incident








- 01) Create New Incident
 - If not already participating or nearby
 - Tap 01 + Incident
- O2 Select Test vs Real









- 01) Create New Incident
 - If not already participating or nearby
 - Tap 01 + Incident
- 02) Select Test vs Real
- 03 Set Location
 - Defaults to current, Tap Map to adjust









- 01) Create New Incident
 - If not already participating or nearby
 - Tap 01 + Incident
- 02 Select Test vs Real
- 03 Set Location
 - Defaults to current, Tap Map to adjust
- **94** Set Radius
 - Organizations can Join and Add Patients









- 01) Create New Incident
 - If not already participating or nearby
 - Tap 01 + Incident
- 02) Select Test vs Real
- 03 Set Location
 - Defaults to current, Tap Map to adjust
- **94** Set Radius
 - Organizations can Join and Add Patients
- 05 Name Incident









- 01) Create New Incident
 - If not already participating or nearby
 - Tap 01 + Incident
- 02) Select Test vs Real
- 03 Set Location
 - Defaults to current, Tap Map to adjust
- 04) Set Radius
 - Organizations can Join and Add Patients
- Name Incident
 Set Default Patient Channels
 - 06) Triage Card / Require Condition









- 01) Create New Incident
 - If not already participating or nearby
 - Tap 01 + Incident
- 02 Select Test vs Real
- 03 Set Location
 - Defaults to current, Tap Map to adjust
- **94** Set Radius
 - Organizations can Join and Add Patients
- Name IncidentSet Default Patient Channels
 - 06) Triage Card / Require Condition
 - 07) Patient Type









- 01) Create New Incident
 - If not already participating or nearby
 - Tap 01 + Incident
- 02 Select Test vs Real
- 03 Set Location
 - Defaults to current, Tap Map to adjust
- 04) Set Radius
 - Organizations can Join and Add Patients
- Name IncidentSet Default Patient Channels
 - 06) Triage Card / Require Condition
 - 07) Patient Type
- 08) Configurable ID
 - US | Statewide Wristband or State Specific
 - All joining organizations "inherit" for interoperability








- 01) Create New Incident
 - If not already participating or nearby
 - Tap 01 + Incident
- 02 Select Test vs Real
- 03 Set Location
 - · Defaults to current, Tap Map to adjust
- **94** Set Radius
 - Organizations can Join and Add Patients
- Name IncidentSet Default Patient Channels
 - 06) Triage Card / Require Condition
 - 07) Patient Type
- 08 Configurable ID
 - US | Statewide Wristband or State Specific
 - All joining organizations "inherit" for interoperability
- 09 Save







- 01) Create New Incident
 - If not already participating or nearby
 - Tap 01 + Incident
- 02) Select Test vs Real
- 03 Set Location
 - Defaults to current, Tap Map to adjust
- 04) Set Radius
 - Organizations can Join and Add Patients
- Name IncidentSet Default Patient Channels
 - 06) Triage Card / Require Condition
 - 07) Patient Type
- 08) Configurable ID
 - US | Statewide Wristband or State Specific
 - All joining organizations "inherit" for interoperability
- 09 Save

